


6.506: Algorithm Engineering



LECTURE 2 PARALLEL ALGORITHMS

Julian Shun

September 9, 2025



Some lecture material taken from “Parallel Algorithms” by Guy Blelloch and Bruce Maggs.



Announcements

- Presentation sign-up sheet has been posted
- Problem set will be released on Canvas this week, due on Monday 10/6
- First paper review due Thursday 10am

Parallel Computing




Parallel Languages


- Pthreads
- Cilk, OpenMP
- Message Passing Interface (MPI)
- CUDA, OpenCL
- Today: Shared-memory parallelism
 - Cilk and OpenMP are extensions of C/C++ that support parallel for-loops, parallel recursive calls, etc.
 - Do not need to worry about assigning tasks to processors as these languages have a runtime scheduler
 - Cilk has a provably efficient runtime scheduler




PARALLELISM MODELS




Basic multiprocessor models



Local memory machine



Modular memory machine




Parallel random-access Machine (PRAM)



Source: "Parallel Algorithms" by Guy E. Blelloch and Bruce M. Maggs

Network topology


Bus




Mesh



2-level multistage network



Hypercube



Fat tree

Source: "Parallel Algorithms" by Guy E. Blelloch and Bruce M. Maggs

Network topology

- Algorithms for specific topologies can be complicated
 - May not perform well on other networks
- Alternative: use a model that summarizes latency and bandwidth of network
 - Postal model
 - Bulk-Synchronous Parallel (BSP) model
 - LogP model


PRAM Model

- All processors can perform same local instructions as in the RAM model
- All processors operate in lock-step
- Implicit synchronization between steps
- Models for concurrent access
 - Exclusive-read exclusive-write (EREW)
 - Concurrent-read concurrent-write (CRCW)
 - How to resolve concurrent writes: arbitrary value, value from lowest-ID processor, logical OR of values, sum of values
 - Concurrent-read exclusive-write (CREW)
 - Queue-read queue-write (QRQW)
 - Allows concurrent access in time proportional to the maximal number of concurrent accesses

Work-Span model

- Similar to PRAM but does not require lock-step or processor allocation

Computation graph




- Work** = number of vertices in graph (number of operations)
- Span (Depth)** = longest directed path in graph (dependence length)
- Parallelism** = $\text{Work} / \text{Span}$
- A **work-efficient** parallel algorithm has work that asymptotically matches the best sequential algorithm for the problem

Goal: work-efficient and low (polylogarithmic) span parallel algorithms


Work-Span model

- Spawning/forking tasks

- Model can support either binary forking or arbitrary forking



Binary forking



Arbitrary forking

- Cilk uses binary forking, as seen in 6.106/6.172
- Converting between the two changes work by at most a constant factor and span by at most a logarithmic factor
 - Keep this in mind when reading textbooks/papers on parallel algorithms
- We will assume arbitrary forking unless specified

Work-Span model

- State what operations are supported
 - Concurrent reads/writes?
 - Resolving concurrent writes

Scheduling

- For a computation with work W and span S , on P processors a greedy scheduler achieves

$$\text{Running time} \leq W/P + S$$


- For a computation with work W and span S , on P processors Cilk's work-stealing scheduler achieves

$$\text{Expected running time} \leq W/P + O(S)$$

- Work-efficiency is important since P and S are usually small



PARALLEL SUM



Parallel Sum

- Definition: Given a sequence $A=[x_0, x_1, \dots, x_{n-1}]$, return $x_0 + x_1 + \dots + x_{n-2} + x_{n-1}$

What is the span?

$$S(n) = S(n/2) + O(1)$$

$$S(1) = O(1)$$


$$\rightarrow S(n) = O(\log n)$$

What is the work?

$$W(n) = W(n/2) + O(n)$$

$$W(1) = O(1)$$

$$\rightarrow W(n) = O(n)$$



A stylized illustration of a desktop computer system. It features a large monitor with a blue screen, a black tower unit, and a black keyboard. The components are arranged on a white background.

Prefix Sum

- Definition: Given a sequence $A=[x_0, x_1, \dots, x_{n-1}]$, return a sequence where each location stores the sum of everything before it in A , $[0, x_0, x_0+x_1, \dots, x_0+x_1+\dots+x_{n-2}]$, as well as the total sum $x_0+x_1+\dots+x_{n-2}+x_{n-1}$

- Example:

2	4	3	1	3
---	---	---	---	---



0	2	6	9	10
---	---	---	---	----

Total sum = 13

- Can be generalized to any associative binary operator (e.g., \times , min, max)

Sequential Prefix Sum

Input: array A of length n

Output: array A' and total sum

```
cumulativeSum = 0;
```

```
for i=0 to n-1:
```


```
     $A'[i] = \text{cumulativeSum};$ 
```

```
     $\text{cumulativeSum} += A[i];$ 
```

```
return  $A'$  and cumulativeSum
```

- What is the work of this algorithm?
 - $O(n)$
- Can we execute iterations in parallel?
 - Loop carried dependence: value of cumulativeSum depends on previous iterations

Parallel Prefix Sum



Total sum =

Total sum =

for even values of i : $A'[i] = B'[i/2]$

for odd values of i : $A'[i] = B'[(i-1)/2] + A[i-1]$

$x_0+\dots+x_7$

Parallel Prefix Sum

Input: array A of length n (assume n is a power of 2)

Output: array A' and total sum

PrefixSum(A, n):

if $n == 1$: return ([0], A[0])

for $i=0$ to $n/2-1$ in parallel:

$B[i] = A[2i] + A[2i+1]$

(B', sum) = PrefixSum(B, $n/2$)

for $i=0$ to $n-1$ in parallel:

if $(i \bmod 2) == 0$: $A'[i] = B'[i/2]$

else: $A'[i] = B'[(i-1)/2] + A[i-1]$

return (A', sum)

What is the span?

$$S(n) = S(n/2) + O(1)$$

$$S(1) = O(1)$$


$$\rightarrow S(n) = O(\log n)$$

What is the work?

$$W(n) = W(n/2) + O(n)$$

$$W(1) = O(1)$$

$$\rightarrow W(n) = O(n)$$




FILTER



Filter

- Definition: Given a sequence $A=[x_0, x_1, \dots, x_{n-1}]$ and a Boolean array of flags $B[b_0, b_1, \dots, b_{n-1}]$, output an array A' containing just the elements $A[i]$ where $B[i] = \text{true}$ (maintaining relative order)
- Example:



- Can you implement filter using prefix sum?

Filter Implementation

A =

2	4	3	1	3
---	---	---	---	---

B =

T	F	T	T	F
---	---	---	---	---

1	0	1	1	0
---	---	---	---	---

```
// Assume B'[n] = total sum
parallel-for i=0 to n-1:
  if(B'[i] != B'[i+1]):
    A'[B'[i]] = A[i];
```



Prefix sum

B' =

0	1	1	2	3
---	---	---	---	---

Total sum = 3

Allocate array A' of size 3

--	--	--




A' =


2	3	1
---	---	---



PARALLEL BREADTH-FIRST SEARCH



Parallel BFS Algorithm



- Can process each frontier in parallel
 - Parallelize over both the vertices and their outgoing edges

Parallel BFS Code

```

BFS(Offsets, Edges, source) {
    parent, frontier, frontierNext, and degrees are array
    parallel_for(int i=0; i<n; i++) parent[i] = -1;
    frontier[0] = source, frontierSize = 1, parent[source] = source;

    while(frontierSize > 0) {
        parallel_for(int i=0; i<frontierSize; i++)
            degrees[i] = Offsets[frontier[i]+1] - Offsets[frontier[i]];
        perform prefix sum on degrees array
        parallel_for(int i=0; i<frontierSize; i++) {
            v = frontier[i], index = degrees[i], d = Offsets[v+1]-Offsets[v];
            for(int j=0; j<d; j++) { //can be parallel
                ngh = Edges[Offsets[v]+j];
                if(parent[ngh] == -1 && compare-and-swap(&parent[ngh], -1, v)) {
                    frontierNext[index+j] = ngh;
                } else { frontierNext[index+j] = -1; }
            }
        }
        filter out "-1" from frontierNext, store in frontier, and update frontierSize to be
        the size of frontier (all done using prefix sum)
    }
}
    
```

frontierSize = 5

2	4	3	1	3
---	---	---	---	---

Prefix sum

0	2	6	9	10
---	---	---	---	----

frontierSize = 8

24	9	24	9	15	89	25	90	99	4	-1	1	4	8
----	---	----	---	----	----	----	----	----	---	----	---	---	---

BFS Work-Span Analysis

- Number of iterations \leq diameter Δ of graph
- Each iteration takes $O(\log m)$ span for prefix sum and filter (assuming inner loop is parallelized)



$$\text{Span} = O(\Delta \log m)$$

- Sum of frontier sizes = n
- Each edge traversed once $\rightarrow m$ total visits
- Work of prefix sum on each iteration is proportional to frontier size $\rightarrow O(n)$ total
- Work of filter on each iteration is proportional to number of edges traversed $\rightarrow O(m)$ total

$$\text{Work} = O(n+m)$$

Performance of Parallel BFS


- Random graph with $n=10^7$ and $m=10^8$
 - 10 edges per vertex
- 40-core machine with 2-way hyperthreading



- 31.8x speedup on 40 cores with hyperthreading
- Sequential BFS is 54% faster than parallel BFS on 1 thread




POINTER JUMPING AND LIST RANKING




Pointer Jumping

- Have every node in linked list or rooted tree point to the end (root)



(a) The input tree $P = [4, 1, 6, 4, 1, 6, 3]$.



(b) (c) The final tree $P = [1, 1, 1, 1, 1, 1, 1]$. iteration

```
for j=0 to ceil(log n)-1:
  parallel-for i=0 to n-1:
    temp[i] = P[P[i]];
  parallel-for i=0 to n-1:
    P[i] = temp[i];
```


What is the work and span?

$$W = O(n \log n)$$
$$S = O(\log n)$$

List Ranking

- Have every node in linked list determine its distance to the end

```
parallel-for i=0 to n-1:  
  if P[i] == i then rank[i] = 0  
  else rank[i] = 1  
  
for j=0 to ceil(log n)-1:  
  temp, temp2;  
  parallel-for i=0 to n-1:  
    temp[i] = rank[P[i]];  
    temp2[i] = P[P[i]];  
  parallel-for i=0 to n-1:  
    rank[i] = rank[i] + temp[i];  
    P[i] = temp2[i];
```



Work-Span Analysis

```
parallel-for i=0 to n-1:  
  if P[i] == i then rank[i] = 0  
  else rank[i] = 1  
  
for j=0 to ceil(log n)-1:  
  temp, temp2;  
  parallel-for i=0 to n-1:  
    temp = rank[P[i]];  
    temp2 = P[P[i]];  
  parallel-for i=0 to n-1:  
    rank[i] = rank[i] + temp;  
    P[i] = temp2;
```

What is the work and span?


$$W = O(n \log n)$$
$$S = O(\log n)$$

Sequential algorithm only requires $O(n)$ work


Work-Efficient List Ranking

ListRanking(list P)

1. If list has two or fewer nodes, then return **//base case**
2. Every node flips a fair coin
3. For each vertex u (except the last vertex), if u flipped Tails and $P[u]$ flipped Heads then u will be paired with $P[u]$
 - A. $\text{rank}[u] = \text{rank}[u] + \text{rank}[P[u]]$
 - B. $P[u] = P[P[u]]$
4. Recursively call ListRanking on smaller list
5. Insert contracted nodes v back into list with $\text{rank}[v] = \text{rank}[v] + \text{rank}[P[v]]$



Work-Efficient List Ranking



Work-Span Analysis

- Number of pairs per round is $(n-1)/4$ in expectation
 - For all nodes u except for the last node, probability of u flipping Tails and $P[u]$ flipping Heads is $1/4$
 - Linearity of expectations gives $(n-1)/4$ pairs overall
 - Each round takes linear work and $O(1)$ span
 - Expected work: $W(n) \leq W(7n/8) + O(n)$
 - Expected span: $S(n) \leq S(7n/8) + O(1)$
- $$W = O(n)$$
$$S = O(\log n)$$
- Can show span with high probability with Chernoff bound